

Lab110 : Seaborn


Seaborn 語法

(別怕! 跟著做你就會!)

盧樹台

shuhtai@uch.edu.tw

請至 www.hcdtech.com.tw 下載教材



<http://www.hcdtech.com.tw/Python.htm>



[\[首頁\]](#) [\[免費研習活動報名須知\]](#) [\[免費自助式教材分享\]](#) [\[Python\]](#) [\[產品簡介\]](#) [\[智慧型遙控器\]](#) [\[汽車震動防盜器\]](#) [\[門窗開啟警報器\]](#) [\[電子密碼鎖\]](#) [\[數位控制電風扇\]](#) [\[房屋電燈中央監控\]](#) [\[洗衣機數控面板\]](#) [\[雙光束雷射防盜器\]](#) [\[火警報知機\]](#)

所有的考卷都可以考100分，是我們自己錯過了！

學習秘訣=發問+練習

考卷發下去，時間到了收回來，如果沒有考到100分，這很正常。重點來了，不會的可以問，問完了練習，準備好了考卷再發下去。第二次還是沒有考到100分，這也很正常。沒關係，再來一次，不會的可以問，問完了練習，準備好了考卷第三次再發下去，.....，考到第N次如果還是沒有考到100分。沒關係，再來，不會的可以問，問完了練習，N+1次、N+2次、.....，你們都很聰明，知道我在說什麼，到最後考卷一定可以考100分！看懂了妳/你就會知道，原來學習的秘訣就是發問和練習！今天開始不懂就問，問完了練習，明年的妳/你肯定不一樣！

學習如何學習！

1

1 2

1 2 3

.....


1 2 3 4 5 6 7 8 9 10

金字塔念書法




如果一本書有10個章節！先看第1章，在看第2章之前再把第1章看一遍，在看第3章之前再把第1, 2章看一遍，.....，等看到第10章的時候，第1, 2, 3, 4章恐怕已經背起來了！我稱這種念書法為金字塔念書法，今天開始照著做，明年的妳/你肯定不一樣！

請使用 Windows 10



1. 選用 Windows 10.

善用 Google 翻譯



請先開啟網頁閱讀

Seaborn

w3schools.com/python/numpy/numpy_random_seaborn.asp

請用善用 Google 翻譯 讀懂 網頁 內容


Seaborn

Visualize Distributions With Seaborn

Seaborn is a library that uses Matplotlib underneath to plot graphs. It will be used to visualize random distributions.

0.200
0.175
0.150

建立程式文件 1/4




1. 鍵盤輸入Notepad. 2. 用滑鼠點選記事本.

建立程式文件 2/4

```
*未命名 - 記事本
檔案(F) 編輯(E) 格式(O) 檢視(V) 說明
print("P11211XXX practices Lab110.")


print("Plotting a distplot from 0 to 5:")
import matplotlib.pyplot as plt
import seaborn as sns
sns.distplot([0, 1, 2, 3, 4, 5])
plt.show()
print()
print("Plotting a distplot from 3 to 8:")
sns.distplot([3, 4, 5, 6, 7, 8])
plt.show()
print()
print("Plotting a distplot from 0 to 5 without the histogram:")
sns.distplot([0, 1, 2, 3, 4, 5], hist = False)
plt.show()
print()
print("Plotting a distplot from 3 to 8 without the histogram:")
sns.distplot([3, 4, 5, 6, 7, 8], hist = False)
plt.show()
```

Replace P11211XXX with your student ID



1. 用鍵盤輸入程式代碼.

建立程式文件 3/4




1. 用滑鼠點選檔案. 2. 用滑鼠點選另存為....

建立程式文件 4/4



1. 資料夾 = C:\使用者>User>.
2. 檔案名稱 = P11211XXX.py .
3. 存檔類型(T) = 所有檔案.
4. 用滑鼠點選存檔.

檔案執行模式 1/9



1. 鍵盤輸入cmd.
2. 用滑鼠點選命令提示字元.

檔案執行模式 2/9

```
命令提示字元
Microsoft Windows [版本 10.0.19045.3693]
(c) Microsoft Corporation. 著作權所有，並保留一切權利。
C:\Users\盧樹台>pip install numpy
```



1. 用鍵盤輸入pip install numpy.
2. 按一下Enter.

檔案執行模式 3/9

```
C:\> 命令提示字元  
Microsoft Windows [版本 10.0.19045.3693]  
(c) Microsoft Corporation. 著作權所有，並保留一切權利。  
C:\Users\盧樹台>pip install numpy  
WARNING: Ignoring invalid distribution -ip (c:\python39\lib\site-packag  
WARNING: Ignoring invalid distribution - (c:\python39\lib\site-packag  
Requirement already satisfied: numpy in c:\python39\lib\site-packages  
You should consider upgrading via the 'c:\python39\python.exe -m pip  
C:\Users\盧樹台>pip install seaborn
```



1. 用鍵盤輸入pip install seaborn.
2. 按一下Enter.



檔案執行模式 4/9

```

C:\> 命令提示字元
Requirement already satisfied: pyparsing>=2.3.1 in c:\python39\lib\site-package
(3.1.1)
Requirement already satisfied: cyclor>=0.10 in c:\python39\lib\site-packages (f
10.1)
Requirement already satisfied: ... 1.3.1 in c:\python39\lib\site-packag
) (1.4.5)
Requirement already satisf... >=3.1.0 in c:\python39\lib\site-packages (fr
!=3.6.1, >=3.3->seaborn) (3
Requirement already satisf... data>=2022.1 in c:\python39\lib\site-packages
Requirement already satisf... pytz>=2020.1 in c:\python39\lib\site-packages (f
Requirement already satisf... six>=1.5 in
=3.3->seaborn) (1.16.0)
You should consider upgrading via the 'c:\p
C:\Users\盧樹台>Python P11211XXX.py

```

Replace P11211XXX with your student ID




1. 用鍵盤輸入Python P11211XXX.py .
2. 按一下Enter.

檔案執行模式 5/9

1

```
You should consider upgrading via the 'c:\python39\python.exe -m pip install --upgrade pip' command.  
C:\Users\盧樹台>Python P11211XXX.py  
P11211XXX practices Lab110.  
Plotting a distplot from 0 to 5:  
C:\Users\盧樹台\P11211XXX.py:6: UserWarning:  
  
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.  
Please adapt your code to use either `displot` (a figure-level function with  
similar flexibility) or `histplot` (an axes-level function for histograms).  
For a guide to updating your code to use the new functions, please see  
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751  
  
sns.distplot([0, 1, 2, 3, 4, 5])
```



1. 用滑鼠點選 X.

檔案執行模式 6/9



```
sns.distplot([0, 1, 2, 3, 4, 5])
```

Plotting a distplot from 3 to 8:
C:\Users\盧樹台\P11211XXX.py:10: UserWarning:
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
For a guide to updating your code to use the new functions, please see
<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot([3, 4, 5, 6, 7, 8])
```


The plot window shows a histogram with a blue normal distribution curve overlaid. The x-axis has major ticks at 0, 5, and 10. The y-axis has major ticks at 0.0, 0.1, and 0.2. The window title bar includes a close button (X) which is highlighted by a red arrow.

1. 用滑鼠點選 X.

檔案執行模式 7/9



```
sns.distplot([3, 4, 5, 6, 7, 8])  
  
Plotting a distplot from 0 to 5 without the histogram:  
C:\Users\盧樹台\P11211XXX.py:14: UserWarning:  
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.  
Please adapt your code to use either `displot` (a figure-level function with  
similar flexibility) or `kdeplot` (an axes-level function for kernel density plots).  
For a guide to updating your code to use the new functions, please see  
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751  
  
sns.distplot([0, 1, 2, 3, 4, 5], hist = False)
```



1. 用滑鼠點選 X.

檔案執行模式 8/9



For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot([0, 1, 2, 3, 4, 5], hist = False)
```


Plotting a distplot from 3 to 8 without the histogram:
C:\Users\盧樹台\P11211XXX.py:18: UserWarning:

``distplot`` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either ``displot`` (a figure-level function with similar flexibility) or ``kdeplot`` (an axes-level function for kernel density plots).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot([3, 4, 5, 6, 7, 8], hist = False)
```



1. 用滑鼠點選 X.

檔案執行模式 9/9

命令提示字元

```

Plotting a distplot from 0 to 5 without the histogram:
C:\Users\盧樹台\P11211XXX.py:14: UserWarning:
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `kdeplot` (an axes-level function for kernel
density plots).
See https://seaborn.pydata.org/tutorial.html#new-functions for more
information.
sns.distplot([3, 4, 5], hist = False)
Plotting a distplot from 0 to 8 without the histogram:
C:\Users\盧樹台\P11211XXX.py:18: UserWarning:
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `kdeplot` (an axes-level function for kernel
density plots).
See https://seaborn.pydata.org/tutorial.html#new-functions for more
information.
For a guide to updating your code to use the new functions, please
see https://gist.github.com/mbostock/de44147ed2974457ad6372750bbe5751
sns.distplot([3, 4, 5, 6, 7, 8], hist = False)
C:\Users\盧樹台>Python P11211XXX.py

```

Replace P11211XXX with your student ID

1

2

1. 用鍵盤輸入Python P11211XXX.py .
2. 按一下Enter.

Verification Criteria of Lab110 (Lab110的驗收規範) Seaborn語法

**P11211XXX 必需
更換為您的學號**


Ask the teacher to give you points after completing the illustrated results.

(完成右圖指定成果後請教師在您的座位驗收並讓您簽名加分)

```

You should consider upgrading via the 'c:\python39\python.exe -m pip install --upgrade pip' command.
C:\Users\盧樹台>Python P11211XXX.py
P11211XXX practices Lab110.
Plotting a distplot from 0 to 5:
C:\Users\盧樹台\P11211XXX.py:6: UserWarning:
'distplot' is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either 'displot' (a figure-level function with similar flexibility) or 'histplot' (an axes-level function for histograms).
For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751
sns.distplot([0, 1, 2, 3, 4, 5])


```



```

sns.distplot([0, 1, 2, 3, 4, 5])
Plotting a distplot from 3 to 8:
C:\Users\盧樹台\P11211XXX.py:10: UserWarning:
'distplot' is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either 'displot' (a figure-level function with similar flexibility) or 'histplot' (an axes-level function for histograms).
For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751
sns.distplot([3, 4, 5, 6, 7, 8])


```



```

sns.distplot([3, 4, 5, 6, 7, 8])
Plotting a distplot from 0 to 5 without the histogram:
C:\Users\盧樹台\P11211XXX.py:14: UserWarning:
'distplot' is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either 'displot' (a figure-level function with similar flexibility) or 'kdeplot' (an axes-level function for kernel density plots).
For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751
sns.distplot([0, 1, 2, 3, 4, 5], hist = False)


```



```

sns.distplot([0, 1, 2, 3, 4, 5], hist = False)
Plotting a distplot from 3 to 8 without the histogram:
C:\Users\盧樹台\P11211XXX.py:18: UserWarning:
'distplot' is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either 'displot' (a figure-level function with similar flexibility) or 'kdeplot' (an axes-level function for kernel density plots).
For a guide to updating your code to use the new functions, please see
https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751
sns.distplot([3, 4, 5, 6, 7, 8], hist = False)

```



Every student must do Lab110 once!

養成良好的工作態度

- 離開實驗室時請整理自己的工作座位，為自己的工作態度加分：
 - (1)滑鼠鍵盤歸位 (2)電腦關機 (3)螢幕關閉電源 (4)椅背靠妥 (5)個人責任區(工作座位及週邊範圍)應整潔，不遺留垃圾紙屑等。

